





# Enjoy Seamless and Smart TV with

Pro:Centric Set Top Box



Pro:Centric SMART IPTV Platform



IP Streaming



UHD/4K and FHD (up to 2160p) Output Resolution





Embedded Pro:Idiom Decryption



**Smart Connectivity** 

## PRO:CENTRIC HOTEL MANAGEMENT SOLUTION



## Pro:Centric Smart Application Platform

Pro:Centric SMART is optimized for customizing hospitality services for hotel brands and guests through an IP & RF infrastructure. With LG's smart customization tools and content management software, it increases convenience through implementation of high-end technology.




# SUPERB PICTURE QUALITY



## Support Ultra HD Resolution

STB-6500 supports 4 types of video output resolutions which are UHD, FHD, HD and 1,366  $\times$  768px. Also, it automatically upscales Full HD content on the HDMI/USB inputs to Ultra HD.\* With this, you can deliver clear messages and add animation on the content.



#### **Pro:Centric Direct**

The hotel management solution Pro:Centric Direct offers easy and simple editing tools, making it easy to perform service and IP network-based remote management. The Pro:Centric Direct solution enables users to edit their interface easily by providing customized interface and efficiently manages the TVs in the rooms. The current PCD version provides IoT-based in-room control as well as voice control function through LG Natural Language Processing (NLP). These IoT and voice-related functions will be your starting point to prepare for the hotel rooms of next generation through artificial intelligence.

\* Some devices may have limited compatibility, thus may not support voice control and IoT function.

#### SMART PLATFORM



#### More Innovative LG webOS 5.0

Explore the latest LG Smart TV features. Newly added Gallery mode enables you to utilize the TV as an artwork which harmonizes with your space and life.

<sup>\*</sup> The output resolution should be set and selected 2160p, and the native resolution of the connected display panel should support Ultra HD. For example, 2160p requires a UHD display panel.

#### **SMART DRM**



#### **Embedded Pro:Idiom Decryption**

STB-6500 provides embedded Pro:ldiom decryption for non-Pro:ldiom TVs. Pro:ldiom, DRM (Digital Right Management) technology unlocks access to premium content to help assure rapid and broad deployment of HDTV and other high value digital contents.

#### HARDWARE DESIGN



# Enclosure Design with an Expansion Side-connector

STB-6500 is designed for additional 3rd party external module expansion to deliver additional capabilities such as DOCSIS 3.0 cable modem card for IP-over-coax installation.

#### **SMART CONNECTIVITY**







#### **SmartShare**

SmartShare allows users to share content more easily and quickly across various devices. It also simplifies the process by easily searching for the desired content and share content.

# \* The devices must be DLNA certified to support this feature

# Bluetooth Sound Sync

Bluetooth Sound Sync enables users to listen to music on a mobile device through TV speakers via Bluetooth connection.

# \* Support devices for Bluetooth Sound Sync : Android, iOS based mobile device.

#### Soft AP

Software-enabled Access Point (Soft AP) functions as Wi-Fi that uses TV as a wireless hotspot, enabling guests to connect their own devices to the Soft AP.

- $\ensuremath{^{\star}}$  Soft AP should be set in installation menu.
- \* Smart Mirroring may not be operated at the same
- \* This feature may not be available in certain devices because of different encryption method.

<sup>\*</sup> The external modules must be tested for compatibility with STB-6500.

# PRODUCT INFORMATION




#### STB-6500 (EU/MEA)


Туре	Set Top Box
Data Streaming (IP&RF)	Yes
Pro:Centric Application	PCA 3.8
Tuner	1 Tuner
HCAP (SDK)	GEM / HTML5

#### **DIMENSION**

(unit: mm)








# CONNECTIVITY SYSTEM CONTROLLER

#### Front



Rear

- 1 POWER
- 2 HDMI OUT
- 3 OPTICAL DIGITAL AUDIO OUT
- 4 EXTERNAL RS-232C CONTROL
- 5 AUDIO LINE OUT
- 6 EXTERNAL IR IN
- **7** RS-232C TELEVISION CONTROL
- **8** SERVICE

- 9 13/18V 700mA Max LNB Satellite IN
- ANTENNA / CABLE IN
- 11 LAN
- 12 HDMI IN 1

- 13 HDMI IN 2
- 14 USB IN 1 / USB IN 2

\* Dimensions & Jack Panels may differ from the above image, so please contact LG sales team to verify before ordering.









